CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

SECRET
SECURITY INFORMATION   25X1

COUNTRY	USSR (Kiev Oblast)	**REPORT**
SUBJECT	Medical Facilities and Other Data on Arsenal No. 1 at Kiev	**DATE DISTR.** 19 June 1953
		NO. OF PAGES 3
DATE OF INFO.		**REQUIREMENT** 25X1
PLACE ACQUIRED		**REFERENCES** 25X1

This is UNEVALUATED Information

THE SOURCE EVALUATIONS IN THIS REPORT ARE DEFINITIVE.
THE APPRAISAL OF CONTENT IS TENTATIVE.
(FOR KEY SEE REVERSE)

25X1

there were 45 German specialists and about 4,000 Soviets employed at the arsenal.

There was a small dispensary attached to Arsenal No. 1 which employed about six female general practitioners, about ten feldshers, and about ten nurses' aids.

Most of the German specialists at Arsenal No. 1 received, on a voluntary basis, annual typhus and cholera inoculations. There were various slogans and posters on display throughout the plant which tried to encourage the practice of safety measures. Machines presenting

SECRET

25 YEAR
RE-REVIEW

STATE	#x	ARMY	#x	NAVY	#x	AIR	#x	FBI		AEC				

(Note: Washington Distribution Indicated By "X"; Field Distribution By "#".)

25X1

25X1

hazards to the operators were provided with various safety devices, and the workers were required to wear protective clothing, safety goggles, and gloves. Possibly as a result of these safety measures, there were very few accidents due to machine operation.

No disease reached epidemic stage [   ] in Kiev. There were very many cases of tuberculosis and heart ailments, primarily thrombosis.

25X1

25X1

The plant dispensary serviced those requiring minor attention; those employees needing surgery, therapy, and special consultation were treated in the numerous clinics in Kiev.

[   ] an orthopedic clinic was located somewhere in Kiev, and some of the Germans went there for treatment.

Kiev was always very clean [   ] no serious neglect of refuse disposal practices. The streets were always clean, which made it pleasant to walk in the city.

25X1

the houses in Kiev were all included in the central water supply system It was not necessary to boil the drinking water.

25X1

25X1

outwardly it did not differ from similar Western European facilities.

Several times a week large garbage trucks collected kitchen refuse.

25X1

SECRET